




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : H04H 1/02	A1	(11) International Publication Number: WO 00/25460 (43) International Publication Date: 4 May 2000 (04.05.00)
(21) International Application Number: PCT/EP99/07772 (22) International Filing Date: 7 October 1999 (07.10.99) (30) Priority Data: 1010389 23 October 1998 (23.10.98) NL (71) Applicant (for all designated States except US): KONINKLIJKE KPN N.V. [NL/NL]; Stationsplein 7, NL-9726 AE Groningen (NL). (72) Inventor; and (75) Inventor/Applicant (for US only): PIETERSE, Rob [NL/NL]; Verbenalaan 1, NL-2111 ZL Aerdenhout (NL). (74) Agent: KLEIN, Bart; Koninklijke KPN N.V., P.O. Box 95321, NL-2509 CH The Hague (NL).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>

(54) Title: SYSTEM FOR THE DISTRIBUTION OF AUDIO AND VIDEO FILES**(57) Abstract**

From a central database (1) audio/video files are transferred to local processing means (2). A processor (4) selects a collection of files (1') and stores these in a selection file (5'). The selection file and the selected files are transferred to the local processing means, which play the selected files. The processor periodically replaces part of the collection of local files by new files selected from the database. The processor can also select different collections of files and transfer these to the local processing means. The local processing means then comprise a local selection device for selecting selection files according to the desire of the subscriber, by means of which the files are "played" locally. For refreshing of the local files the local selection device stores the local selections and the central processor reads out those selections and replaces a part of the local collection.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

System for the distribution of audio and video files

BACKGROUND OF THE INVENTION

The invention relates to a system for the distribution of
5 audio and video files, comprising a central database with
audio or video files, local processing means for processing
and reproducing such files and a transmission network for
the transmission of such files from the central database to
the local processing means.

10 A comparable system is widely known, particularly in the
domain of the "Internet", among others from WO9617451, in
which a system is described for distributing audio "clips"
via a multimedia network. The local processing means are
formed by a PC, which is controlled by processing and
15 reproducing software for audio.

SUMMARY OF THE INVENTION

The present invention proposes a number of measures for
adapting a system for distributing audio (or video) via a
20 transmission network for application as a means of
distribution for e.g. varied background music in shops,
restaurants, waiting lounges etc. So far for this purpose a
service is used in which, when one has a subscription to
that service, cassette tapes or compact discs (CDs) are
25 distributed from a central point via physical mail and the
like to subscribing shops etc. An important point is that
the music that is played in the shops etc. must be
regularly changed and "refreshed". In some cases a fairly
balanced collection of music is desired adapted to the time
30 of the day, time of the year, etc. Retail chains usually
also want that the music played is the same in all the
various locations or branches. "Free" shops like to be free
in their choice of background music.

The invention thus comprises a system for the distribution
35 of audio and video files, in particular - but not
exclusively - for supplying music (or audio) in shops etc.,

comprising, in a central server with a central database with audio and video files, and with local clients of the service, viz. the shops etc., local processing means for processing and playing of the files and a transmission

5 network for the transmission of the files from the central database to the local processing means. The system according to the invention comprises a processor for selecting a collection of files from the database by means of a selection algorithm and storing that selection in a
10 selection file, as well as for transferring via the transmission network to the local processing means of a subscriber of both the selection file and the selected files themselves, in which the local selection means can play the selected files under control of the selection
15 file.

If the system according to the invention is applied for e.g. retail chains in which at every moment of the day the same music should be played, it is sufficient that the subscriber - the branch manager - can switch on or off the
20 local processing system without further influence of the repertoire played by the processing system.

The repertoire is preferably refreshed periodically. Files from the local downloaded collection are then replaced by other files from a central database. Using current
25 transmission means downloading of 1 hour of music takes around half an hour. By refreshing the local files regularly, the reproduced music keeps its attraction for visitors (for whom it is meant of course). In such a periodical refreshing mechanism the processor replaces
30 under control of the refreshing algorithm periodically a part of the collection of local files by new files, which have to be selected again (under control of the selection algorithm) from the database and have to be transferred via the transmission means.

35 The system according to the invention can be used for the

3

distribution of audio or video to shops etc. where - as in the preceding concept - they are locally not free in the choice of the played music or where they - contrary to the preceding - are locally free to make a choice from various downloaded collections. In this last option, the processor selects on the basis of one or more selection algorithms, different collections of files and stores these selections in different selection files, which are transferred to the local processing means via the transmission network. The local processing means comprise in this preferred embodiment of the invention a local selection device for selecting according to the desire of the subscriber of one of those different selection files. In this case the shop owner etc. has various collections of music available from which can be chosen.

In the last option there are locally different collections of files with in total (many) more files than in the option in which locally no choice of collections could be made. The "refreshing" of the collections is here a larger problem, because the time and resources required for this are limited. A considerable gain of time and resources can be obtained by having the local selection device store the selections made by the subscriber in a log file and have the central processor read out that log file via the transmission network and have under its control a part of the actually used collections or individual files replaced by new, again from the database selected files. The invention will below be illustrated by means of some figures.

30

DESCRIPTION OF FIGURES

Figure 1 shows a first embodiment of the invention. A central database 1 works together or is incorporated in a computer 4. In the database 1, a large collection of (e.g. MPEG or JPEG coded) audio (or video) files is stored. There

35

4

are (sub)collections of different music styles, from medieval chamber music to contemporary pop music and besides music from different parts of the world. The service which is offered by means of the system described here exists in that subscribers can make a selection from the whole range of music (the same applies of course to video) by means of a central selection algorithm, which selection, after being downloaded via the transmission network 3, can be played locally on the subscriber location. Furthermore, the invention comprises that the selected files (music pieces) are regularly replaced by other pieces, while taking into account the selection rules given by the selection algorithm. By the latter the selected musical genres remain the same, but the music pieces are replaced within these genres. On refreshing of music pieces it is made sure - by a refreshing algorithm - that there is enough coherence (genre) and variation between a replacing music piece and the musical context in which it is placed. This applies also to the selection algorithm; selection algorithm and refreshing algorithm are thus largely congruent.

The software loaded in the central computer 4 comprises a selection algorithm with which, using selection data as genre, composer, instrumentation etc, a collection of files (music files) is selected from the database. The file data (such as record numbers) of those selected files are stored in a selection file ("play list") 5. Next, the selected files and a replica of the selection file 5' are transferred via the transmission network 3 to the local computer 2 of the subscriber and stored (1', 5'). Under control of the selection file 5', the selected files 1' can then be played via an audio installation 6. In this concept the local user can only choose between playing and non-playing of the transferred music files 1', under control of file 5'. This concept is especially useful for retail

chains etc. with a uniform corporate identity, inclusive the (background) music.

The processor, that is the computer 4 with the loaded software, replaces under control of a refreshing algorithm
5 periodically a part of the collection of selected files and that have been transferred to the local processing means by files that are again selected from the database. As said, the correct genre is taken into account (the new files must originate from the same genre subset as the old file) as
10 well as the variation in among others composers and performing musicians.

If it is desired - contrary to the retail chains with completely uniform presentation - that the local subscribers make a choice themselves from a series of music
15 collections (5'), which are all compiled according to a certain logic (by means of a selection algorithm), the architecture of figure 1 is replaced by that of figure 2. In the architecture of figure 2, the processor 4 selects by means of one or more different selection algorithms
20 different collections of files and stores these selections in various selection files ("play lists"), collectively referred to with 5". Those selection files 5" are transferred via the transmission network 3 to the local processor 2, together with the selected files. In this
25 architecture there are consequently usually more than in the preceding embodiment. The local processing means 2 comprise a local selection device for selecting a selection file according to the desire of the subscriber from the different downloaded selection files (here refereed to with
30 5'''). The said local selection device preferably belongs to the software which is loaded on the local computer 2. By means of screen and mouse/keyboard a choice can be made ad libitum from one of the downloaded "play lists" 5. Because in this option there are many more files
35 downloaded, refreshing of it requires more capacity.

6

Especially when the number of files is substantial, regularly refreshing can be a problem. However, the following measure has been taken.

The local selection device, incorporated in computer 2, stores the consecutive choices made by the subscriber in a "log file" 7. The central processor 4 reads periodically those selections stored in the log file via the transmission network. Under control of the uploaded log file 7' and a refreshing algorithm, the central processor periodically replaces a part, some files, of the collection files in the local processing means 2 by selecting files again from the central database 1. Also the selection file concerned from the set 5" is edited. The new files and the edited selection file are sent to the local computer 2. The computer 2 replaces the old files in 1' and the old "play list" in 5''' by new ones. By using a log file per subscriber the number of files to be refreshed is reduced considerably, namely to the local files which have been actually selected by the subscriber.

CLAIMS

1. System for the distribution of audio and video files, comprising a central database (1) with audio or video files, local processing means for processing and playing of
5 such files and a transmission network for the transmission of such files from the central database to the local processing means, **characterised by** a processor (4) for selecting a collection of files from the database by means of a selection algorithm and storing that selection in a
10 selection file (5), as well as for transferring, via the transmission network to the local processing means of a subscriber, replica's of both the selection file (5') and the selected files (1') themselves, the local selection means being able to play the selected files via playing
15 means (6), under control of the selection file.
2. System according to claim 1, **characterised in that** the processor periodically replaces, under control of a refreshing algorithm, part of the collection of selected files by files which are selected once again from the
20 database.
3. System according to claim 1, **characterised in that** the processor selects, on the basis of one or more selection algorithms, different collections of files and stores these selections in different selection files, which are
25 transferred to the local processing means via the transmission network, the local processing means comprising a local selection device for selecting, according to the desire of the subscriber, one of those different selection files.
- 30 4. System according to claim 3, **characterised in that** the local selection device stores consecutive choices made by the subscriber, in a log file, the processor reading out the selections stored in the local selection device and periodically replacing part of the collection of selected
35 files by files selected once again from the database.




FIG. 1




FIG. 2

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/07772

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04H1/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04H

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 93 09631 A (FINISAR CORP) 13 May 1993 (1993-05-13) page 1, line 1 -page 5, line 7; claim 1; figure 1	1
A	DE 42 44 198 A (NSM AG) 30 June 1994 (1994-06-30) column 1, line 1 -column 3, line 47; claim 1; figure 1	1
A	DE 44 40 419 A (ISSING TILMAN ;ISSING MATTHIAS (DE); ISSING LUDWIG DR (DE)) 9 May 1996 (1996-05-09) column 1, line 1 -column 8, line 34; claim 1; figure 1	1

	-/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

22 December 1999

Date of mailing of the international search report

12/01/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

De Haan, A.J.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/07772

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB 2 193 420 A (PETYARD LIMITED) 3 February 1988 (1988-02-03) the whole document —	1
A	US 4 789 863 A (BUSH THOMAS A) 6 December 1988 (1988-12-06) column 1, line 1 - line 64; claim 1; figure 5 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 99/07772

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9309631 A	13-05-1993	US 5404505 A AU 654885 B AU 2909092 A CA 2121592 A EP 0610367 A	04-04-1995 24-11-1994 07-06-1993 13-05-1993 17-08-1994
DE 4244198 A	30-06-1994	AT 152561 T WO 9415416 A DE 59306351 D EP 0676104 A US 5691964 A	15-05-1997 07-07-1994 05-06-1997 11-10-1995 25-11-1997
DE 4440419 A	09-05-1996	NONE	
GB 2193420 A	03-02-1988	NONE	
US 4789863 A	06-12-1988	WO 9001243 A AU 615673 B AU 2325188 A DE 3851538 D DE 3851538 T DK 73290 A EP 0383775 A FI 94707 B JP 2769709 B JP 3500476 T NO 177950 B CA 1249032 A	08-02-1990 10-10-1991 19-02-1990 20-10-1994 12-01-1995 21-03-1990 29-08-1990 30-06-1995 25-06-1998 31-01-1991 11-09-1995 17-01-1989